

INFOSTAT

Authorizations and accessing instructions






TABLE OF CONTENTS

NEV	VS	.3
1.	ENABLING AND MANAGEMENT FUNCTIONS	.4
1.1.	OPERATING INSTRUCTIONS FOR USING "INFOSTAT" SERVICES	.4
1.2.	REGISTRATION, AUTHENTICATION AND ACCESS TO INFOSTAT	.5
1.3.	ACCREDITATION AND ACCESS TO SERVICES	.7
1.3.1	. <u>ENTERING THE PIN</u>	.8
1.3.2	. ADVANCED FUNCTIONS FOR AUTHORIZATION MANAGEMENT	.9
2.	INSTALLING CERTIFICATES	11

News

INFOSTAT Data Collection Portal has been changed to make it compliant with new technologies that do not require the Flash Player plugin and are able to adapt the *layout* to the user device (laptop, tablet, smartphone).

The functionalities, provided by the portal, are unchanged.

Minimum requirements

The new version requires one of the following versions of the browser: Google Chrome (version 56+ recommended) and Mozilla Firefox (version 52+ is recommended). Internet Explorer is not recommended; although the application works correctly, some graphic components may not be displayed in an optimal way. A minimum screen resolution of 1280x720 is also required

For technical questions, send an e-mail to the mailbox rdvi.helpdesk@bancaditalia.it.

1. ENABLING AND MANAGEMENT FUNCTIONS

1.1. Operating instructions for using "INFOSTAT" services

The Data Collection Platform (hereinafter INFOSTAT) is an IT infrastructure to support the preparation and transmission of periodical statistical and supervisory reports to the Bank of Italy (hereinafter BoI).

Access to INFOSTAT is available on the Bol website¹ or at the internet address "<u>https://infostat.bancaditalia.it</u>". The INFOSTAT platform offers several functions for managing deadlines, compiling and sending data reports to the Bol.

Due to the confidential nature of the information processed, access to the platform is only granted to authorized users. The process of authorization involves the following steps:

- Bdl attributes to each partner, upon formal request, a secret code (PIN).
- The partner commits the PIN to an operator responsible for data transmission to BdI. The entrusted operator, first, registers himself on the BdI website and then proceeds to entry the PIN code.

The operator is now authorized to transmit data to BdI on behalf of the reference partner. He can also delegate this power to other operators.

The credentials (username and password) chosen by the operator during the registration phase and a mobile phone will be required for each subsequent access to INFOSTAT.

The communication on the Internet network uses the https protocol (secure connection) and uses digital certificates issued by the "Certification Authority" of the BdI. To allow an easy access to INFOSTAT, users can install on their browser the certificate "root" of the aforesaid "Certification Authority". (See § 11 "Installing Certificates").

INFOSTAT is designed to deal with a wide range of information exchanges with the Bol. This manual contains information that applies to any information exchange with the Bol; it should be considered, however, that some functions may be inhibited if not covered by the specific legislations that regulate each specific data exchange.

The images shown in this manual are examples of the features supported by the platform; they may differ from the ones that users will face in relation to a specific survey.

For technical questions and for all matters relating to access to INFOSTAT and the use of related services, send an e-mail to the mailbox rdvi.helpdesk@bancaditalia.it.

¹ https://www.bancaditalia.it/statistiche/raccolta-dati/informazioni-generali/raccolta-

internet/index.html?com.dotmarketing.htmlpage.language=1
LINK TO THE DEDICATED WEBSITE - Data collection

1.2. <u>Registration, authentication and access to INFOSTAT</u>

To access INFOSTAT it is necessary to have a USERNAME and a PASSWORD acquired through the function for **registering** on the Bol website (shown on the Home screen as **Registration**).

	Accesso all'Applicazione : INFOSTAT					
LOGIN						
Nome Uter	ite					
Password						
	ACCEDI		REGISTRATI			
HA SMAR	RITO LE SUE CREDENZIAL	I DI ACCESSO?				
HA SMAR Recupero F		I DI ACCESSO?				

Registration requires some mandatory data including a USERNAME, an e-mail address, a password and a MOBILE PHONE NUMBER. The e-mail address given may not coincide with the functional mailbox entered on the form for using the Internet channel submitted to the BoI on behalf of the partner; it is usually a personal address that the procedure uses to confirm the registration and for operations related to the USERNAME management (e.g. password changes).

The choice of the USERNAME and the PASSWORD is free, in accordance with the rules written on the form. When choosing a password, it is important to remember whether letters are upper or lower case.

When confirming the data entered, the system will send an e-mail to the e-mail address indicated on the form. By clicking on the link contained in the e-mail received, users can complete the activation of their USERNAME.

Assistance in the use of the self-registration feature can be requested by sending an e-mail to this address: *autoregistrazione@bancaditalia.it*.

IDENTIFICAZIONE	
Nome Utente Lo usemame deve iniziare con i	almeno 3 (tre) caratteri alfabetici.
Password	
	tra i 10 (dieci) e i 20 (venti) caratteri e deve contenere almeno una lettera minuscola, una maiuscola, un numero e un carattere speciale (es: "-", "_"). sername, il nome, il cognome e la parola "password"
Conferma Password	
INFORMAZIONI OBBLIGATOR	tie
Nome	
Cognome	
Email (PEC non consentita)	
Conferma Email	
Domanda per risposta segreta	a
Risposta Segreta	
Selezione Prefisso Internazion	nale
Numero Cellulare	
+39 Conferma Numero Cellulare	
*39	
TERMINI E CON SEN SO	
ermini e Condizioni	a la condizioni d'uso dal nostro sancizio
Gli utenti devono fornire i propr d'Italia, in qualità di Titolare del trattamento sarà effettuato med ai dati stessi da parte di sogg autenticazione a due fattori, e malfunzionamenti della procedu come meglio specificato nelle in Gli utenti potranno esercitare, i Organizzazione, Via Nazionale (Il Titolare del trattamento è la Bi	i dati personali per poter accedere ai servizi offerti dalla Banca d'Italia soggetti ad autenticazione. In tal caso i dati raccolti saranno trattati dalla Banca trattamento, nel pieno rispetto della normativa sulla privacy, di cui al Regolamento UE 2016/679 e al D.Lgs. 196/2003 e successive modifiche. Il relativo iante procedure informatiche, con l'impiego di misure di sicurezza idonee a garantire la riservatezza dei dati personali nonché a evitare l'indebito accesso letti terzi, o di personale, non autorizzati. In particolare, il numero di cellulare sarà utilizzato per i servizi per i quali è previsto un meccanismo di solusivamente per l'invio del codice OTP mediante SMS e potrà essere consultato, da personale tecnico autorizzato, esclusivamente in caso di ura. I dati inserti nella presente maschera saranno conservati per il tempo strettamente necessario a conseguire gli scopi per i quali sono stati raccolti, formative relative ai singoli servizi offerti. in qualsiasi momento i diritti di cui agli artt. 15 e ss. del Regolamento UE rivolgendosi al Titolare del trattamento dei dati – Banca d'Italia – Servizio P1 – 00184 – Roma, e-mail org.privacy@bancaditalia.it. edi dati é contattabile presso via Nazionale 91, 00184, ROMA, oppure al seguente indirizzo e-mail responsabile.protezione.dati@bancaditalia.it.
	e il trattamento che lo riguarda sia effettuato in violazione di legge, può proporre reclamo al Garante per la protezione dei dati personali. ettare i termini e le condizioni d'uso del servizio
	"immagine o contenuto nel file audio rispettando maiuscole e minuscole
flaths	Captcha*

Once registration has been completed, **access** to INFOSTAT requires user **authentication** by entering the USERNAME, PASSWORD and the One Time Password (hereinafter OTP) received on the MOBILE PHONE.

Conferma

Annulla

1.3. Accreditation and access to services


At the end of the authentication process, users can access the INFOSTAT Home Page.

The data preparation and forwarding interface can be viewed in English by clicking on 'English version' (upper right)

Services for the exchange of data with the Bol are accessible by clicking on 'Access to Services'.

To access these services it is first necessary to use one of the following functions:

- Enter a PIN (if users have the PIN code sent to their reference partner by the Bol);
- Request delegation (to operator that is already authorized).



1.3.1. Entering the PIN

Selecting the 'Enter PIN function gives users access to the following panel:

Insert PIN		
The required information	ns are available on the communication sent by Bank of Italy.	
Partner *		
SurveyGroup *		
PIN *		
	Confirm	
	(*)Mandatory insert	

Users that enter the PIN code become 'managers of the survey group' (hereinafter 'manager').

The role of manager allows users to:

- Access all INFOSTAT services connected with data preparation and transmission (function: 'Access to Services' on the Home Page);
- Delegate other users to operate on behalf of the reference partner and of the survey (or survey group) he/she is manager of.

The PIN code can only be used once, so only one user can enter the PIN code. The success of the transaction is notified to the partner by an e-mail addressed to the functional mailbox communicated to the Bol on the form for the use of the internet channel.

The manager may delegate others to work for the same partner and the same survey (or survey group) for which he/she is enabled upon request by the users concerned. For the request and the granting of the authority to act on behalf of the partner, refer to the relevant section.

1.3.2. Advanced functions for authorization management

The request for delegation

Users who are not direct recipients of a PIN code, once registered, in order to be able to use the INFOSTAT services for the preparation and processing of data, must request an 'operational delegation' from the 'manager'. Such a request can be activated from the home page of INFOSTAT. In the delegation request, the user must indicate the partner on whose behalf he intends to operate:

Request access	
Authorization can be requested by inserting the Partner Id Partner ID: Confirm	

The request is preliminary to the actual granting of the delegation by the user with the role of 'manager'. Once the authorization process has been completed by the manager, the' 'delegated' user will have access to INFOSTAT services for the preparation and transmission of data.

Granting a delegation

A delegation to act on behalf of a partner is granted by a 'manager' using the 'authorization management' function accessible from the main menu. The person requesting the delegation may be authorized to the role of 'manager' (which in turn gives the authority to delegate other users) or to the role of 'operator' for an individual survey.

BANCA D'ITALIA EUROSISTEMA	
Enter PIN Request delegation Authorization man	Authorization management Active authorization list Suspended authorization list

The interface for managing authorizations contains the list of authorizations in place. Depending on the user role, the view of the list available will either be total or partial. The total view is reserved for the 'manager', able to see both his own authorizations and those of the other users authorized for the same partner. 'Operators' will have, instead, a partial view consisting of the list of their authorizations.

			Use the action	ons in the follo	owing list	to modify t	he <mark>author</mark> i	zations
Partne	er		Operator	Stat	us			
			All	✓ Ac	tive and	Suspende	d 💌	
Authorization lis	t SurveyGroup	Survey		Operator	Role	Enabled	Status	Action
				1.	1.000	by	-	New Authorization
503235 - UTENTE TEST 23 NUOVA RACCOLTA	Statistiche Vigilanza	3 - INTERM. EX. ART. 107 TUB, IP I	EIMEL(3)	B685720	Operator	r ROSARIA	Active	Revoke Enable Manager
503235 - UTENTE TEST 23 NUOVA RACCOLTA	Statistiche Vigilanza	3A - INTERM. EX ART.106 TUB (3A	4)	B685720	Operator	r ROSA <mark>RIA</mark>	Active	Revoke Enable Manager
503235 - UTENTE TEST 23	Statistiche Vigilanza	4 - INTERM. EX. ART. 107 TUB, IP I	EIMEL(4)	B685720	Operator	r ROSARIA	Active	Revoke

An authorization can have three different statuses:

- Active: authorization in place;
- Suspended: authorization request still pending;
- Revoked: authorization closed or revoked.

For each active authorization the manager is allowed to:

- Revoke ('Revoke' action);
- Enable a person to a role other than that possessed. Specifically, a user with the role of 'manager' may enable to the role of 'manager' or remove a user from the role of 'manager' granting the authorization to the role of 'operator' for one or more surveys (action 'Enable operator');

To grant further authorizations to the role of 'operator' (for other surveys) to a person that is currently an 'operator' for some specific surveys, it is possible to proceed using 'New Authorization'.

For each suspended authorization the following options are possible:

- o authorization with role of 'operator' for one or more surveys (action 'Enable');
- authorization with role of 'manager' (action '"Enable");
- cancellation of the authorization request (action 'Deny').

No actions are possible in the case of revoked authorizations.

Actions for changing authorizations in place (granting a delegation, revocation or updating of a current authorization) can be activated using the corresponding 'Actions' available on the interface for authorization management. Each change to current authorizations is notified to the relevant partner via an e-mail message addressed to the mailbox indicated on the registration form. Such messages are also available on the website.

2. Installing certificates

In the section "Statistiche", sub-sections: "Data collection" (raccolta dati-INFORMAZIONI GENERALI SULLA RACCOLTA DATI); "Data Collection via the Internet (DCVI)" (RACCOLTA DATI VIA INTERNET); CERTIFICATO DIGITALE <u>Certificato digitale per l'utilizzo di INFOSTAT</u> a specific

link is present that allows the downloading of the digital certificate of the BdI "Certification Authority". Users may download the certificate and save it on their own personal computer.

Cartelle	Indirizzo	🚞 d: \dati \Work			
Nome 🔻	Dimensione	Тіро			
aApplBI.cer	2 KB	Certificato di pro			
	Apri				
	Installa certificato				
	🚝 Signing Clier	+ b			

The main characteristics of the certificate are the following:

Issued by "Servizi di certificazione dei sistemi informatici" - Valid from Thursday 16 December 2004 13.56.28 to Tuesday 16 December 2014 14.26.28 - identification algorithm "sha1" - Impression "c6 cd 16 6b 82 de 85 db 78 42 48 2d d5 36 1b 25 44 de 8e a3".

To verify the certificate reliability you can activate the action "Open" and check in the panel "Details" under "Public Key", that characters associated correspond to those indicated in the Note².

Certificato	? ×	Certificato		
Generale Dettagli Percorso certificazione		Generale Dettagli Perc	corso certificazione	
Informazioni sul certificato		Mostra: <a>Tutti>	•	
Questo certificato di origine CA non è considerato	-	Campo	Valore	
attendibile. Per renderlo attendibile, installarlo		Versione	V3	
nell'archivio dell'Autorità di certificazione fonti attendibili.		Numero di serie	41 bd a5 26	
		Algoritmo della firma		
		Rilasciato da	Servizi di ceri	tificazione dei sist
		Valido dal	giovedì 16 di	cembre 2004 13.5
		💳 Valido fino al	martedì 16 di	icembre 2014 14
	- 111	Soggetto	Servizi di ceri	tificazione dei sist
Rilasciato a: Servizi di certificazione dei sistemi informatici		Chiave pubblica	RSA (2048 B	its)
		,		
Rilasciato da Servizi di certificazione dei sistemi informatici		30 82 01 0a 02 b7 a1 23 ec 2d e2 5c 2a ae 1b	3a 7c 59 fc 5c	
Valido dal 16/12/2004 al 16/12/2014		ee 1d b0 ca 61		d4 fe c5 92
		41 68 70 75 6a	f7 56 18 a4 04	f0 b9 6a af
		df 7b 42 c7 ec 47 84 7f 6e d1		4b f9 44 58 7c aa c7 3b
		9b 91 56 1a 86		59 24 cc b2
Installa certificato Dichiarazione emitten	e		31 43 53 d2 b5	9b e6 29 ae

Once verification took place, proceed to install the certificate (the procedure will differ depending on the browser used by the user).

 2

 30
 82
 01
 0a
 02
 82
 01
 01
 01
 00
 b2
 c1
 c7
 58
 77
 b7
 b1
 23
 c2
 b2
 b1
 0a
 02
 82
 01
 01
 00
 b2
 c1
 c7
 58
 77
 b7
 b1
 c2
 c2
 b2
 <td

Installing certificates- Internet Explorer

From the menu "Strumenti" select "Opzioni Internet" and then "Contenuto"; activate the button "Certificati". The archive of the certificates already imported in the browser will be shown.

Microso	ft Internet	Explorer					
Preferiti	Strumenti	?) otezior	Progr	ammi Privacy	Avanzate Contenuto	
			oter vis	ualizzan		il cui contenuto	
	Sun Java	a Console		identific ne e au		nivoco se stessi,	
	Opzioni I	nternet	to SSL		con. Certificati	Autori	

From the panel "Autorità di certificazione fonti attendibili" press the button "Importa". The function "Importazione guidata certificati" is enabled.

po designato: <mark> <tut< mark=""> tri utenti Autorità di cert</tut<></mark>		rità di certifica	zione fonti attendibili	Importazione guidata certificati Ouesta procedura guidata permette di copiare certificati,
Rilasciato a	Emesso da	Data di s	Nome	elenchi di certificati attendibili ed elenchi di revoche di certificati dal disco all'archivio certificati.
🕮 ABA.ECOM Root CA	ABA.ECOM Root CA	09/07/2009	DST (ABA.ECOM	
🕮 Autoridad Certifica	Autoridad Certificador	28/06/2009	Autoridad Certifi	Un certificato rilasciato da un'Autorità di certificazione conferma l'identità dell'utente e contiene informazioni
🕮 Autoridad Certifica	Autoridad Certificador	29/06/2009	Autoridad Certifi	utilizzate per proteggere i dati o per stabilire connessioni
🕮 Baltimore EZ by DST	Baltimore EZ by DST	03/07/2009	DST (Baltimore E	di rete protette. L'archivio certificati è l'area del sistema dove i certificati sono archiviati.
🕮 Belgacom E-Trust P	Belgacom E-Trust Prim	21/01/2010	Belgacom E-Trus	
🔛 C&W HKT SecureN	C&W HKT SecureNet	16/10/2009	CW HKT Secure	Per continuare, scegliere Avanti.
🕮 C&W HKT SecureN	C&W HKT SecureNet	16/10/2009	CW HKT Secure	
🕮 C&W HKT SecureN	C&W HKT SecureNet	16/10/2010	CW HKT Secure	
🕮 C&W HKT SecureN	C&W HKT SecureNet	16/10/2009	CW HKT Secure	
		/== /== . =		

Select the certificate you downloaded and press the button "Avanti" until you will view the message "Completamento dell'Importazione guidata certificati". Press "Fine" to complete the installation.

Importazione guidata certificati	Importazione guidata certificati
File da importare Specificare il file da importare. Nome file: d:\dati\Work\caApplBI.cer Sft Nota: è possibile memorizzare più certificati in un singolo file nei seguenti fori Scambio di informazioni personali - PKCS #12 (*.PFX, .P12)	Importazione guidata certificati Archivio certificati Gli archivi certificati sono le aree del sistema dove i certificati sono archiviati. L'archivio certificati può essere selezionato automaticamente dal sistema opp possibile specificare il percorso per il certificato. C Selezionare automaticamente l'archivio certificati secondo il tipo di cer Mettere tutti i certificati nel seguente archivio Archivio certificati:
Standard di sintassi dei messaggi crittografati - Certificati PKCS #7 (.P7B) Archivio certificati serializzati Microsoft (*.SST) 	Autorità di certificazione fonti attendibili


Importazione guidata certifica	ti		
The second s	Completamento dell'Importazione guidata certificati		
45	Importazione guidata certificati completata.		
	Impostazioni selezionate:		
	Archivio certificati scelto dall'utente Autorità di certificaz Contenuto Certificato		
	Nome file d:\dati\Work\caApp		
39.85			
		Importazione guidata certificati	x
		(1) Importazione completata.	
	·······		
	< Indietro Fine Annulla	ОК	

Installing certificates - Mozilla Firefox

From the menu "Strumenti" select "Opzioni" and then "Avanzate"; press the button "Mostra certificati". The archive of certificates already imported in Mozilla Firefox will be shown.

· Mozilla Firefox			Opzioni							
ronologia	S <u>e</u> gnalibri	<u>S</u> trumenti <u>?</u>				页		6		- C
💽 🚭	🍯 http	Ce <u>r</u> ca sul web	Ctrl+K	Principale	Schede	Contenuti	Applicazioni	Privacy	Sicurezza	Avanzate
		Downloa <u>d</u> Componenti <u>agg</u> iuntivi	Ctrl+J Generale Rete Aggiornamenti Cifratura							
		<u>C</u> onsole degli errori <u>I</u> nformazioni sulla pagina	Image: Usa SSL 3.0 Image: Usa TLS 1.0 Certificati Quando un sito web richiede il mio certificato personale: Image: Construction of the second							
		Elimina i dati personali Opzioni di IE Tab								
۹.		Opzioni	2501/17	<u>M</u> ostra	certificati	Elen <u>c</u> hi di re	evoca <u>V</u> e	rifica	<u>D</u> ispositivi di s	sicurezza

From the panel "Autorità" enable the function "Importa". Select the certificate you downloaded and press the button "Apri".



Activate the check-box as below and press "OK".

Download certificato
È stato richiesto di dare fiducia a una nuova Autorità di Certificazione (CA).
Considerare affidabile "Autorità di Certificazione (senza nome)" per i seguenti utilizzi
Dai fiducia a questa CA per l'identificazione di siti web.
🔲 Dai fiducia a questa CA per l'identificazione di utenti di posta.
🔲 Dai fiducia a questa CA per l'identificazione di produttori software.
Prima di dare fiducia a questa CA per un qualsiasi scopo, è consigliabile esaminare il s le politiche e procedure da essa adottate (se disponibili).
Visualizza Esamina certificato CA
OK